SAFETY DATA SHEET

Full Bore Wet Towels Revision Date 01-01-2024

CODE

SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name Full Bore Wet Towels Item

Product Use Hand Wipes

Company Name Southwest Commercial Products, Inc. Office (800) 227-6994

2407 Ludelle St. Fax (817) 413-7889

Fort Worth TX 76105 Web www.fullboreproducts.com

SECTION - 2 HAZARDS INFORMATION

Pictogram



Signal Word Warning

Hazards PHYSICAL / HEALTH / ENVIRONMENTAL HAZARD STATEMENTS HAZARD CATEGORYCLASSIFICATION CODE

Causes serious eye irritation Category 2A Eyes H319

Precautions HANDLING / PROTECTION / FIRE / STORAGE / DISPOSAL

Keep out of reach of childrenP102Wash thoroughly after handlingP264Avoid release to the environmentP273

SECTION - 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

 CHEMICAL NAME
 COMMON NAME AND SYNONYMS
 CAS #
 PERCENT

 D-Limonene
 D-Limonene
 5989-27-5
 >=5<=10</td>

SECTION – 4 FIRST AID MEASURES

Eye Contact Immediately flush eyes with cold water for several minutes while lifting upper and lower eyelids, Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid

Skin Contact Wash with water Inhaled Not Applicable

Ingested DO NOT INDUCE VOMITING, unless directed to do so by medical personnel, rinse mouth with water, and drink

small quantities of water, Call a physician, or poison control center, and seek medical aid, If victim feels nauseous

stop drinking, If vomiting occurs, keep head below hips to prevent aspiration into the lungs

Important Effects None Important Symptoms None

SECTION - 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Explosion Hazard Not Applicable

Hazardous Decomposition Burning or thermal decomposition can produce, carbon dioxide, carbon monoxide

Protective Equipment

Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION - 6 ACCIDENTAL RELEASEMEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses

Containment Use rags or towels to prevent spill from spreading

Clean Up Procedures
Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water
Disposal
Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION - 7 HANDLING AND STORAGE

Handling Avoid eye contact

Storage KEEP OUT OF REACH OF CHILDREN, Store in a closed container

Incompatible Materials Incompatible with, oxidizing agents, reducing agents, strong acids, strong bases

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS Significant

CHEMICAL NAME ACGIH (TWA 8) ACGIH (STEL) OSHA PEL (TWA 8) OSHA (CEIL) Exposure

PERSONAL PROTECTION





Flammability
Reactivity
Personal Protection

HMIS HAZARD RATINGS

Health

Eyes Safety glasses are not normally required but recommend when splashing is possible

Ventilation General Ventilation

SECTION - 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	Not applicable	Specific Gravity / Density Not determined					
Flammable Limits	Not applicable	pH (± 0.3)	7.2				
Auto-Ignition Temp.	Not applicable	Viscosity	Not determined				
Physical State	Wet Wipes	Freeze Point	Not determined				
Appearance	Towels	Boiling Point	Not determined				
Odor	Pleasant	Vapor Density (air=1)	Not determined				
Odor Threshold	Not determined	Vapor Pressure (mmHg)	Not determined				
Solubility	< 18%	Evaporation Rate (nBuAc=1)	Not determined				
Volatiles	< 2%	Partition Coefficient	Not determined				
VOC	< 1%	Molecular Weight (g/mol)	Not determined				
LVP-VOC	Not determined	Decomposition Temperature	Not determined				

SECTION - 10 STABILITY AND REACTIVITY

Reactivity No specific test data related to reactivity available for this product or its ingredients

Chemical Stability Stable under normal ambient and anticipated conditions of use

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, oxidizing agents, reducing agents, strong acids, strong bases

Hazardous Decomposition Burning or thermal decomposition can produce, carbon dioxide, carbon monoxide

SECTION - 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation

Skin May cause mild skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation

Skin Can cause mild skin irritation, drying or cracking

Inhalation Not applicable

Ingestion May be harmful if swallowed, May cause irritation, burning in the mouth, throat, and stomach

Additional Info

Target Organs Eyes (Lens or cornea)

Medical Conditions Preexisting, eye, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME NTP ACGIH IARC GHS Category

None Listed NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u> <u>Germ Cell Mutagenicity</u> <u>Toxic to Reproduction</u>

None Listed NA NA

COMPONENTS ACUTE TOXICITY

SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME Type Subject Result Value Exposure Time GHS Category

Presistence And Degradability

Bioaccumulative Potential

Mobility In Soil

Other Adverse Effects

No data available
No data available
No data available

SECTION – 13 DISPOSAL CONSIDERATIONS

DISPOSAI Statement DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

Container Disposal Rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

<u>Hazard Class</u> <u>Packing Group</u> <u>Label Codes</u> <u>Reportable Quantity (lb)</u> <u>Response</u> <u>Marine Pollutant Hazard Label</u> <u>Secondary</u>

None None None No

Additional Info:

SECTION 45	DECILIATORY IN	EODM AT	ION												
SECTION - 15	REGULATORY IN	FURIMAI	ION												
<u>TSCA</u>															
CHEMICAL NAME		Sec 8(b) Inventor	у	Sec 8(d) I	Health A	nd Safety	Se	c 4(a) Chem	ical Test	Rules	Sec	12(b)	Export	Notificatio
None Listed															
REPORTABLE QUA	NTITIES .		Extremel	y Hazaro	dous		Reportable (Quantity	Emission	Reporti	ng				
CHEMICAL NAME		EPCRAT	PQSec 30	D2 EPC	RARQSed	304	CERCLARC	Sec 103	TRI S	ec313	F	RCRA Co	de	RMP	TQ Sec 11
None Listed															
SARA		S	ection 3	11				Section	on 311 / 31	2 Hazar	ds				
CHEMICAL NAME		Hazar	dous Ch	emical		Acute	(Chronic	Fla	mmable	:	Press	ure		Reactive
None Listed															
CALIFORNIA				WAR	NING! Th	is prod	duct contai	ins chem	icals knov	vn to the	e state	of Cal	iforni	a to ca	use:
CHEMICAL NAME		CAS#		Birth	Defects		Reproduc	ctive Har	m	Carcin	ogen		De	velop	mental
None Listed															
CLEAN AIR WATER	ACTS			Cle	an Air Ac	ts				(Clean	Water A	Acts		
CHEMICAL NAME		CAS#		НА	Р	Ozor	ne Class 1	Ozor	ne Class 2		HS		PP		TP
None Listed															
INTERNATIONAL RI	EGULATIONS – The	compon	ents of th	is prod	uct are lis	ted on t	the chemica	al invento	ries of the	following	count	tries:			
CHEMICAL NAME		Aust	tralia		Canada	E	urope (EIN	IECS)	Japan	١		Korea			UK
None Listed															
DIGUIT TO MAIOW							STATE								
RIGHT TO KNOW															

SECTION - 16 OTHER INFORMATION

SDS	LEGEND DESCRIPTION							
~ Approximately			Additional Information					
ACGIH American Conference of Governmental Industrial Hygienists		LC50	A concentration that is lethal to 50% of a given species in a given time					
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure					
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit					
CERCL Comprehensive Environmental Response, Compensation, and Liability Act			Liver Damage					
CI	Cochlear Impairment	NA	Not Applicable					
CNS	Central Nervous System	ND	Not Determined					
EC50	Concentration of a chemical that gives half-maximal response	NE	NotEstablished					
EPA	Environmental Protection Agency	NFPA	National Fire Protection Association					
Eye	Eye (EI = Irritation) (ED = Damage) (EV = Visual Impairment)		National Institute for Occupational Safety and Health					
FBG	Full Bunker Gear	NTP	National Toxicology Program					
GHS	Globally Harmonized System	OSHA Occupational Safety and Health Administration						
HAP	California Hazardous Air Pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)					
HMIS-A	Safety glasses	PNS	Peripheral Nervous System					
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act					
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)					
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract					
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)					
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA Superfund Amendments and Reauthorization Act						
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)					
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time					
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species					
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)					
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act					
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act					
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)					
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit					

Southwest Commercial Products, Inc.

has compiled the information herein from sources believed to be reliable and up-to-date and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility, and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.